

most powerful Accord ever created. A true prestige vehicle, it is designed for a sophisticated and dynamic drive. And with three different models to choose from, you can be sure to find an Accord that moves you. The Accord VTi is a sizeable yet economical vehicle, the Accord V6 delivers 177 kW of pure power, and the Accord V6 Luxury was born to indulge your every driving desire.

The new generation Accord is the biggest.

The multi-award winning Accord is designed to impress. At 4830 mm long and 1820 mm wide, it is a large vehicle, while its elegant silhouette credits the Accord with a quiet authority. The Accord is a high performance machine. All three Accords have an advanced VTEC engine and 5 speed automatic transmission as standard. An enhanced Grade Logic Control system monitors throttle position, vehicle speed and acceleration/deceleration

 \bigcirc

.

to determine when climbing power or engine braking is needed - reducing gear hunting and improving fuel economy and driveability. The Accord interior is designed around its passengers for complete comfort and style. Sit back and relax in large ergonomic seats with additional driver lumbar support. The Accord range also comes standard with dual-zone climate control, 6 stack in-dash CD tuner, cruise control and multifunction 'wave blade' ignition key that can lower all windows at once, whilst also offering keyless entry to the doors and boot. Standard features also include map lights, power windows and mirrors, sunglasses holder, illuminated vanity mirrors, child-proof door locks and tilt and telescopic steering wheel so you can choose your ideal driving position. But which Accord is right for you? Read on to discover driving at it's finest.

0

THE BIGGER, MORE POWERFUL ACCORD. 💽

0

0

0

ACCORD VTI. A SIZEABLE ADVANTAGE. 🧿

The Accord VTi is an imposing vehicle with all the benefits of a 4 cylinder engine. It has the large Accord body, impressive standard features and a spacious interior while maintaining enviable fuel efficiency. Now that's an idea. The refined 2.4 litre DOHC i-VTEC engine produces 118 kW of power and 218 Nm of torque. An intelligent combination of VTEC (Variable Timing and lift Electronic Control) and VTC (Variable Timing Control) technologies benefit both driver and the environment, delivering

0

0

0

power, low emissions and fuel economy. The VTEC and VTC react to engine load and revolutions per minute to continuously vary the phasing of the intake camshaft, delivering low-end torque and high-end power on demand. The engine is also pivoted at 180 degrees to lessen the distance to the catalytic converter which, in turn, reduces emissions. The Accord VTi delivers not only exceptional motoring, but also outstanding value for money.

The Accord V6 was engineered to go. At an exceptional 177 kW, it truly needs to be experienced to fully comprehend. The exquisitely crafted 3.0 litre SOHC V6 VTEC (Variable Timing and lift Electronic Control) engine produces a sharp 287 Nm of torque. This world class performance is further complimented by the Electronic Throttle Control System (ETCS) which enables slick gear changes through computer controlled throttle adjustment during transmission shifts. Put simply, the ETCS works by replacing mechanical throttle operations with a series of sensors that relay the accelerator pedal

position to a computer to instantly activate the throttle. This exact relationship is consistently tailored by the computer to suit varied driving conditions.

And the high-tech mechanics don't stop there. Precise cornering is ensured by the inclusion of an Electronic Traction Control System (ETCS). This computer-controlled innovation restricts wheel spin and is, literally, a life saver on low-grip road conditions. Because power is nothing without control.

ACCORD

ACCORD V6. A POWERFUL PROPOSITION.

0

0

ACCORD V6 LUXURY. A CUT ABOVE. 🕥

The Accord V6 Luxury redefines the very word. Every aspect of design has been considered and reconsidered to ensure a 5-star drive. Many of the standard features of the Accord are normally regarded as luxury extras, such as the woodgrain look console, power windows and mirrors, illuminated vanity mirrors, dual zone climate control and 6 stack in-dash CD tuner. However, you'll find that the Accord V6 Luxury pushes luxury to the limit with a plush leather interior*, an

8-way power driver's seat and an electric sunroof. This luxury is coupled with the 177kW of effortless power generated by the V6 VTEC (Variable Timing and lift Electronic Control) engine. Extreme power and extreme luxury, the Accord V6 Luxury is the best of both worlds.

ACCORD



0

0 0

Part of the Accord's sophistication is in its advanced safety features. The Anti-lock Braking System (ABS) is complemented by Electronic Brake force Distribution (EBD) which spreads the optimum braking force equally between front and rear, depending on passenger and cargo positioning; resulting in less distance travelled after braking to avoid a collision.

0

The structure of the Accord, its unibody, has been made both stronger and lighter by using a high strength steel. This increases rigidity and torsional strength for improved handling and safety. Together with G-Force Control technology, the safety of the passenger compartment is strengthened in the event of a collision.

Dual stage front airbags for the driver and passenger are now flanked by side SRS airbags with an innovative Occupant Position Detection System to ensure they deploy in the most effective possible way. 3-point seatbelts are provided in front and rear, with pre-tensioner and load limiter systems for the front seats. The Accord V6 Luxury even has SRS curtain airbags. Because at Honda we believe that there is no bigger luxury than safety.



SERVICE THAT DOES NOT STOP AFTER SALE.

As a new Accord owner, you'll have access to personalised online services through our exclusive HondaONE website. This secure site offers you an up-to-date service history, vehicle records, maintenance tips and personalised service reminders. The people who look after you and your Honda are also constantly updating their knowledge to build on the factory training they all receive. That's why no one can service and tune your Honda Accord as well as your Honda Dealership. They also stock a comprehensive inventory of Genuine Honda Parts and Accessories, so you'll never need to accept anything less. Regular maintenance of your new Accord is of course, recommended, to ensure you can

enjoy many years of driving pleasure, and to maintain its value. Our faith in the new Accord's durability, quality and reliability is reflected in the 3 year/100,000km warranty we are proud to offer with every Honda. You also receive a 3-year paint protection warranty and a 6-year rust perforation warranty. Together, we can ensure you are as happy with your Accord in years to come as you are on the day you drive it out of the showroom.

ACCORD

ACCORD

30V6VT

C

0











Drinks holde

ACCESSORIES OF Luxury at your own Accord.







 With the sector of th



Accord V6 Luxury model shown.

ACCORD SPECIFICATIONS O

POWERTRAIN	VTi	V6	V6 Luxury
Engine	Inline 4 cylinder	V6	V6
Lingine	DOHC i-VTEC	SOHC VTEC	SOHC VTEC
Capacity	2.4 litre - 2354 cc	3.0 litre - 2997 cc	3.0 litre - 2997 cc
Max. power	118 kW @ 5500 rpm	177 kW @ 6250 rpm	177 kW @ 6250 rpm
Max. torque	218 Nm @ 4500 rpm	287 Nm @ 5000 rpm	287 Nm @ 5000 rpm
wax. torque	210 Mill @ 4500 lpli	207 Nin @ 3000 Ipin	207 Nill @ 3000 lpli
Control system	Honda Programmed	Honda Programmed	Honda Programmed
	Fuel Injection (PGM-FI)	Fuel Injection (PGM-FI)	Fuel Injection (PGM-FI)
Emission standard	Low Emission Vehicle (LEV)	Low Emission Vehicle (LEV)	Low Emission Vehicle (LEV
Automatic transmission	5 speed with	5 speed with	5 speed with
	Grade Logic Control	Grade Logic Control	Grade Logic Control
Drive by wire throttle	-	\checkmark	√
Fuel type	Unleaded	Unleaded	Unleaded
CHASSIS			
Body Type	Monocoque	Monocoque	Monocoque
Front suspension	Double wishbone	Double wishbone	Double wishbone
Rear suspension	Double wishbone	Double wishbone	Double wishbone
Stabiliser bars	Front & rear	Front & rear	Front & rear
Power steering	1	✓	√
Wheel type	Alloy	Alloy	Alloy
Spare wheel type	Full size	Full size	Full size
Front brakes	Vented disc	Vented disc	Vented disc
Rear brakes	Disc	Disc	Disc
EXTERIOR			
Bumpers	Impact absorbing	Impact absorbing	Impact absorbing
Door handles	Body coloured and chrome	Body coloured and chrome	Body coloured and chrom
Electric sunroof (with tilt function)	-	-	√
Exhaust	Single	Twin	Twin
Front fog lamps			✓
Front wiper	2 speed & intermittent	2 speed & intermittent	2 speed with rain sensor intermittent
Headlights	Halogen type	Halogen type	Halogen type
Keyless entry	√	√	√
Power door mirrors	✓	✓	✓
Rear window demister	✓	✓	✓
Side protectors	Body coloured and chrome	Body coloured and chrome	Body coloured and chrom
INTERIOR		,	,
Accessory power outlet (10 amp)	x 2	x 2	x 2
Air conditioning	Dual zone climate control	Dual zone climate control	Dual zone climate control
Ashtray	Front & rear	Front & rear	Front & rear
Central locking		√	
Centre armrest	1	✓	✓
Console panel trim	Woodgrain look	Woodgrain look	Woodgrain look
Cruise control	√	✓	√
Cup holders	Front & rear	Front & rear	Front & rear
Dashboard warning lights	Comprehensive array	Comprehensive array	Comprehensive array


Dipital lock In radio In radio In radio Door pockets Front & rear Front & rear Front & rear Driver's foortest ✓ ✓ ✓ Driver's seat - manual height adjustment ✓ – – Driver's seat - manual height adjustment ✓ – – Driver's seat - mover adjustable (8-way) – – ✓ Driver's seat - mover adjustable (8-way) – – ✓ Ortver's seat - mover adjustable (8-way) – – ✓ Driver's seat - mover adjustable (8-way) Lockable Lockable Lockable Headrests - rot Fully adjustable Fully adjustable Fully adjustable Heily adjustable Headrests - rot Fully adjustable Door light Boot light Boot light Headrests - rot X2 X2 X2 X2 Linerior illumination Boot light Boot light Boot light Interior illumination Glove box light Glove box light Glove box light Interior illumination		VTi	V6	V6 Luxury
Driver's footrest ✓ ✓ ✓ Driver's seat - manual height adjustment – – – Driver's seat - power adjustable (8-way) – – – Driver's seat - power adjustable (8-way) – – ✓ Driver's seat - power adjustable (8-way) – – ✓ Driver's window Auto up/down Auto up/down Auto up/down Beadrests - front Fully adjustable Fully adjustable Fully adjustable Headrests - rear x 2 x 2 x 2 x 2 Interior illumination Courtesy light Courtesy light Courtesy light Boot light Boot light Interior illumination Map light Map light Map light Map light Map light Interior illumination Rear reading light Rear reading light Rear reading light Rear reading light Interior illumination Glove box light Glove box light Glove box light Glove box light Interior illumination Rear reading light Rear reading light Rear reading light Interior illumination Glove box light Glove box light Glove box light Interior illumination Glove box light Glove box light Glove box light	Digital clock	In radio	In radio	In radio
Driver's seat - manual height adjustment - - - Driver's seat - power height adjustment - - - Driver's seat - power adjustable (8-way) - - - Driver's window Auto up/down Auto up/down Auto up/down Glovebox Lockable Lockable Lockable Headrests - front Fully adjustable Fully adjustable Fully adjustable Headrests - rear x 2 x 2 x 2 x 2 Interior illumination Courtesy light Courtesy light Courtesy light Boot light Interior illumination Boot light Boot light Boot light Boot light Interior illumination Rear reading light Rear reading light Map light Map light Interior illumination Glove box light Glove box light Glove box light Glove box light Interior illumination Glove box light Glove box light Glove box light Auto off Low fuel warning ✓ ✓ ✓ ✓ Dower windows ✓ ✓ ✓ ✓ Seat trim material Cloth Cloth Leather' Seatest height adjuster Front Front Front S	Door pockets	Front & rear	Front & rear	Front & rear
Driver's seat - power height adjustment $-$ / $-$ / / / / Driver's window Auto up/down Lockable Lockable Lockable Lockable Lockable Isearcest - front Pully adjustable Fully adjustable Fully adjustable Fully adjustable Fully adjustable Fully adjustable fragersest - rear x 2 x 2 x 2 x 2 interior illumination Courtesy light Courtesy light Courtesy light Interior illumination Boot light Boot light Boot light Boot light Map light Interior illumination Map light Map light Map light Map light Interior illumination Glove box light Glove box light Glove box light Interior illumination Map light Map light Glove box light Glove box light Ispect - $-$ /	Driver's footrest	√	√	1
Driver's seat - power adjustable (8-way) - - ✓ Driver's window Auto up/down Auto up/down Auto up/down Auto up/down Slovebox Lockable Lockable Lockable Eaderests - front Fully adjustable Fully adjustable Fully adjustable Headrests - rear x.2 x.2 x.2 x.2 Interior illumination Courtesy light Courtesy light Boot light Interior illumination Door light Door light Door light Interior illumination Rear reading light Rear reading light Rear reading light Interior illumination Glove box light Glove box light Glove box light Glove box light Low fuel warning ✓ ✓ ✓ ✓ Low fuel warning ✓ ✓ ✓ ✓ Power windows ✓ ✓ ✓ ✓ Seatatok pockets Driver & passenger Driver & passenger Driver & passenger Stearing column Tilt adjustable & telescopic Tilt adjustable & telescopic Stearing oolumn Tilt adjustable & telescopic Tilt adjustable & telescopic Stearing oolumn Tilt adjustable & telescopic Tilt adjustable & telescopic Tilt adjustab	Driver's seat - manual height adjustment	√	-	-
Driver's window Auto up/down Auto up/down Auto up/down Slovebox Lockable Lockable Headrests - front Fully adjustable Fully adjustable Headrests - front x 2 x 2 x 2 interior illumination Courtesy light Courtesy light Courtesy light Interior illumination Boot light Boot light Boot light Boot light Interior illumination Map light Map light Map light Map light Interior illumination Rear reading light Rear reading light Rear reading light Interior illumination Glove box light Glove box light Glove box light Upits-on warning Chime Auto off Auto off Auto off Auto off Auto off Auto off Seat trim material Cloth Cloth Leather Seat trim material Cloth Cloth Leather Steering volume Titt adjustable & telescopic Titt adjustable & telescopic Titt adjustable & telescopic Steering volume V V V V V Steering volume Titt adjustable & telescopic Titt adjustable & telescopic Titt adjustable & telescopic Steering volume Urethan	Driver's seat - power height adjustment	-	√	-
BioveboxLockableLockableLockableHeadrests - frontFully adjustableFully adjustableFully adjustableHeadrests - rearx 2x 2x 2theadrests - rearx 2x 2x 2Interior illuminationCourtesy lightCourtesy lightCourtesy lightnetrior illuminationBoot lightBoot lightBoot lightBoot lightnetrior illuminationRear reading lightRear reading lightRear reading lightRear reading lightnetrior illuminationGlove box lightGlove box lightGlove box lightGlove box lightJustische Emperature gaugeZousice temperature gaugePower windowsZeat tim materialClothClothLeather'Steering obumTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneSteering wheelUrethaneSteering obumTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering obumTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering obumTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering obumTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopic<	Driver's seat - power adjustable (8-way)	-	-	√
Headrests - frontFully adjustableFully adjustableFully adjustableHeadrests - rearx 2x 2x 2x 2nterior illuminationCourtesy lightCourtesy lightCourtesy lightInterior illuminationDoor lightDoor lightDoor lightInterior illuminationMap lightMap lightMap lightInterior illuminationRear reading lightRear reading lightRear reading lightInterior illuminationGlove box lightGlove box lightGlove box lightLights-on warningChimeAuto offAuto offOver windowsImageImageImageOver windowsImageImageImageImageImageImageImageImageImageImageImageOver windowsImage <td>Driver's window</td> <td>Auto up/down</td> <td>Auto up/down</td> <td>Auto up/down</td>	Driver's window	Auto up/down	Auto up/down	Auto up/down
Headrests - rear x.2 x.2 x.2 Interior illumination Courtesy light Courtesy light Courtesy light Boot light Door light Door light Door light Door light Map light	Glovebox	Lockable	Lockable	Lockable
Interior illuminationCourtesy lightCourtesy lightCourtesy lightCourtesy lightInterior illuminationBoot lightBoot lightBoot lightBoot lightDoor lightInterior illuminationMap lightMap lightMap lightMap lightMap lightInterior illuminationRar reading lightRear reading lightRear reading lightRear reading lightInterior illuminationGlove box lightGlove box lightGlove box lightGlove box lightLights-on warningChimeAuto offAuto offJutside temperature gauge-✓✓Ouw fuel warning✓✓✓Dutside temperature gauge-✓✓Seat trim materialClothClothLeatherfSeatatop bocktsDriver & passengerDriver & passengerDriver & passengerTriver & passengerSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSinglasses holder✓✓✓✓Ariby mirror with illuminationDriver and passengerDriver and passengerDriver and passengerNindowsHeat absorbingHeat absorbingHeat absorbingMedity Late1455 mm1455 mm1455 mmJeight1455 mm125 mm125 mmJeight11 m11 m11 mSinglasses1500 kg1500 kg1500 kgJutstis9.310.610.6Lie uc	Headrests - front	Fully adjustable	Fully adjustable	Fully adjustable
Interior illumination Boot light Boot light Boot light netrior illumination Door light Door light Door light netrior illumination Map light Map light Map light netrior illumination Rear reading light Rear reading light Rear reading light netrior illumination Glove box light Glove box light Glove box light iughts-on warning Chime Auto off Auto off over vindows - - - >Owner windows - - - Seat trim material Cloth Cloth Leather' Steering wheel Urethane Urethane Leather' Sunglasses holder - - - X X X X Anity miror with illumination Driver and passenger Driver and passenger Strenger X X X Santy miror with illumination Driver and passenger Driver an	leadrests - rear	x 2	x 2	x 2
Interior illuminationBoot lightBoot lightBoot lightnterior illuminationDoor lightDoor lightDoor lightInterior illuminationRear reading lightRear reading lightRear reading lightInterior illuminationGlove box lightGlove box lightGlove box lightinterior illuminationGlove box lightGlove box lightGlove box lightinterior illuminationGlove box lightGlove box lightGlove box lightinterior illuminationGlove box lightGlove box lightAuto off.ow fuel warning✓✓✓.ow fuel warning✓✓✓.ow fuel warning✓✓✓.ow fuel warningClothClothLeather'Dutside temperature gauge-✓✓.ow fuel warningClothClothLeather'Seat trim materialClothClothLeather'Seat trim materialClothClothLeather'Seat trim materialUrethaneUrethaneLeather'Sunglasses holder✓✓✓.or✓✓✓Sanglasses holder✓✓✓.anity mirror with illuminationDriver and passengerDriver and passengerDriver and passengerDriver and passengerDriver and passengerSinglasses holder✓✓✓.anity mirror with illuminationDriver and passengerDriver and passengerNidewsHeat absorbingHeat absorbing </td <td>nterior illumination</td> <td>Courtesy light</td> <td>Courtesy light</td> <td>Courtesy light</td>	nterior illumination	Courtesy light	Courtesy light	Courtesy light
Interior illuminationMap lightMap lightMap lightMap lightnterior illuminationRear reading lightRear reading lightRear reading lightRear reading lightinterior illuminationGlove box lightGlove box lightGlove box lightGlove box lightinterior illuminationGlove box lightGlove box lightGlove box lightAuto offinterior illuminationChimeAuto offAuto offAuto offower windowsPower windowsPower windowsSeat trim materialClothClothLeather'Seat trim materialClothClothLeather'Seatback pocketsDriver & passengerDriver & passengerDriver & passengerSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather'Sunglasses holderYandy mirror with illuminationDriver and passengerDriver and passengerDriver and passengerDiffigmeterx2x2x2x2Krift Medit1820 mm1820 mm1820 mmHeight1455 mm1455 mm1452 mmStoppic11m11 m11 mLing with black150 kg1510 kg152 kgCluming circle11 m11 m11 mLiel economy -	nterior illumination		Boot light	Boot light
Interior illuminationMap lightMap lightMap lightMap lightnterior illuminationRear reading lightRear reading lightRear reading lightRear reading lightinterior illuminationGlove box lightGlove box lightGlove box lightGlove box lightinterior illuminationGlove box lightGlove box lightGlove box lightAuto offinterior illuminationInterior illuminationInterior illuminationInterior illuminationinghts-on warningInterior illuminationInterior illuminationInterior illuminationDutside temperature gauge-Interior illuminationInterior illuminationDutside temperature gauge-Interior illuminationInterior illuminationSeat tim materialClothClothLeather'Seatatok pocketsDriver & passengerDriver & passengerDriver & passengerSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather'Sunglasses holderInterior x2x2x2Aralty mirror with illuminationDriver and passengerDriver and passengerDiffererx2x2x2keight14820 mm14820 mmHeat absorbingHeat absorbingHeat absorbingDifferer11m11m11mSteel conomy - combined (iltres per 100kms)9.310.610.6Steel colomy - combined (iltres per 100kms)9.310.6	nterior illumination	Door light	Door light	Door light
Interior illumination Rear reading light Rear reading light Rear reading light Rear reading light Interior illumination Glove box light Glove box light light light light light light ligh	nterior illumination	-	-	-
Interior illuminationGlove box lightGlove box lightGlove box lightJights-on warningChimeAuto offAuto offLights-on warning✓✓✓Outside temperature gauge–✓✓Ower windows✓✓✓Seat trim materialClothClothLeather'Seat trim materialClothClothLeather'Seat trim materialClothFrontFrontSteering columnTilt adjustable & telescopicTilt adjustable & telescopicSteering outmet✓✓✓Steering wheelUrethaneUrethaneLeather'Steering wheelUrethaneV✓Ingingases holder✓✓✓Anity mirror with illuminationDriver and passengerDriver and passengerNindowsHeat absorbingHeat absorbingHeat absorbingIMENSIONSImension125 mm1250 kgLength4830 mm4830 mm4830 mmVidth1820 mm1820 mm1820 mmVindig telescopic11 m11 m11 mStrenge telescopic11 m11 m11 mStrenge telescopic165 kg65 litres65 litresMitch1820 mm1820 mm1820 mmIngent telescopic11 m11 m11 mStrenge telescopic11 m11 m11 mStrenge telescopic16 kg kg1500 kg1500 kgStrenge telescopic16 kg kg kg1500	nterior illumination	1 0	1 0	1 0
Lights-on warningChimeAuto offAuto off.cow fuel warning✓✓✓.cow fuel warning✓✓✓Dutside temperature gauge–✓✓Power windows✓✓✓Seat trim materialClothClothLeather'Seatback pocketsDriver & passengerDriver & passengerDriver & passengerSeatback pocketsDriver & passengerTritt adjustable & telescopicTilt adjustable & telescopicSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather'Sunglasses holder✓✓✓Anity miror with illuminationDriver and passengerDriver and passengerDriver and passengerDriver and passengerDriver and passengerSteefing4830 mm4830 mm4830 mmNirdowsHeat absorbingHeat absorbingDIMENSIONS1820 mm1820 mmLeight1455 mm125 mmVidth1820 mm1820 mmVidth1820 mm1820 mmVight - tare1435 kg1510 kgTuring circle11 m11 mTuring circle11 m11 mSite ei coondry - combined (litres per 100kms)9.310.6Uie lank capacity65 litres65 litresVie size16 x 6.5 JJ16 x 6.5 JJVie size16 x 6.5 JJ16 x 6.5 JJVie size150	nterior illumination			
Own fuel warning ✓ ✓ ✓ Dutside temperature gauge - ✓ ✓ Power windows ✓ ✓ ✓ Power windows Driver & passenger Driver & passenger Driver & passenger Seatbelt height adjuster Front Front Front Front Steering column Tilt adjustable & telescopic Tilt adjustable & telescop	ights-on warning	0	•	•
Dutside temperature gauge-Image: ClothImage: ClothPower windowsImage: ClothClothLeather'Seat trim materialClothClothLeather'Seat trim materialDriver & passengerDriver & passengerDriver & passengerSeat trim materialDriver & passengerDriver & passengerDriver & passengerSeat trim materialTrintFrontFrontSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather'Steering wheelUrethaneUrethaneLeather'Steering wheelVVVfachometerXXXImpererx 2x 2x 2Varity mirror with illuminationDriver and passengerDriver and passengerDiver stopHeat absorbingHeat absorbingHeat absorbingDIMENSIONSHeat absorbingHeat absorbingHeat absorbingScoudd clearance - laden125 mm125 mm125 mmStroud clearance - laden125 mm125 mm125 mmNeight - tare111 m11 m11 m11 mSteel conomy - combined (litres per 100kms)9.310.610.6Steel conomy - combined (litres per 100kms)9.316 k 6.5 JJ16 k 6.5 JJVie size205/60 R16 92V205/60 R16 92V205/60 R16 92V205/60 R16 92VVie size100 kg1500 kg1500 kg1500 kg <td></td> <td>1</td> <td>1</td> <td>1</td>		1	1	1
Dower windowsImage: ClothImage: ClothClothLeather'Seat trim materialClothClothLeather'Seatback pocketsDriver & passengerDriver & passengerDriver & passengerSeatbelt height adjusterFrontFrontFrontSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather'Sunglasses holderImage: Clother and passengerImage: Clother and passengerImage: Clother and passengerSunglasses holderXImage: Clother and passengerDriver and passengerDriver and passengerWindowsHeat absorbingHeat absorbingHeat absorbingHeat absorbingDIMENSIONSHeat absorbing1455 mm1455 mm1455 mmCleance - laden125 mm125 mm125 mm125 kgTurning circle11 m11 m11 m11 mVeight - tare135 kg1510 kg1525 kgTurning circle11 m11 m11 m11 mVeight - tare16 x 6.5 JJ16 x 6.5 JJ16 x 6.5 JJViel tara16 x 6.5 JJ16 x 6.5 JJ16 x 6.5 JJ16 x 6.5 JJViel tark capacity65 litres65 litres65 litres65 litresViel tark1500 kg1500 kg1500 kg1500 kgTrailer with brakes1500 kg1500 kg500 kg500 kg	0	_	1	1
Deatback pocketsDriver & passengerDriver & passengerDriver & passengerGeatbelt height adjusterFrontFrontFrontSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather*Gunglasses holder✓✓✓Cachometer✓✓✓Tripmeterx 2x 2x 2fripmeterx 2x 2x 2fripmeterx 2x 2x 2fripmeterBassengerDriver and passengerDriver and passengerVindowsHeat absorbingHeat absorbingHeat absorbingDIMENSIONSHeat absorbingHeat absorbingHeat absorbingUright14820 mm14820 mm14820 mmVidth1820 mm125 mm125 mmVieght - tare1435 kg1510 kg1525 kgUrining circle11 m11 m11 muiel economy - combined (litres per 100kms)9.310.610.6iuel tank capacity65 litres65 litres65 litresVheel size16 x 6.5 JJ16 x 6.5 JJ16 x 6.5 JJVier size205/60 R16 92V205/60 R16 92V205/60 R16 92VAaximum towing capacity -trailer with brakes1500 kg1500 kgtrailer with brakes500 kg500 kg500 kg		✓	√	
Seatbelt height adjusterFrontFrontFrontSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather'Sunglasses holder✓✓✓Cachometer✓✓✓Achometer× 2x 2x 2Aralty mirror with illuminationDriver and passengerDriver and passengerNindowsHeat absorbingHeat absorbingBIMENSIONSHeat absorbingHeat absorbingUrethane14830 mm4830 mmVidth1820 mm1820 mmHeight1455 mm1455 mmGround clearance - laden125 mm125 kgUrning circle11 m11 mfur lade conomy - combined (litres per 100kms)9.310.6Steel take capacity65 litres65 litresNeel size16 x 6.5 JJ16 x 6.5 JJVer size205/60 R 16 92V205/60 R 16 92VVaximum towing capacity -1500 kg1500 kgtrailer with brakes500 kg500 kgtrailer without brakes500 kg500 kg	Seat trim material	Cloth	Cloth	Leather
Seatbelt height adjusterFrontFrontFrontSteering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeather'Sunglasses holder✓✓✓Cachometer✓✓✓Achometer× 2x 2x 2Aralty mirror with illuminationDriver and passengerDriver and passengerNindowsHeat absorbingHeat absorbingBIMENSIONSHeat absorbingHeat absorbingUrethane14830 mm4830 mmVidth1820 mm1820 mmHeight1455 mm1455 mmGround clearance - laden125 mm125 kgUrning circle11 m11 mfur lade conomy - combined (litres per 100kms)9.310.6Steel take capacity65 litres65 litresNeel size16 x 6.5 JJ16 x 6.5 JJVer size205/60 R 16 92V205/60 R 16 92VVaximum towing capacity -1500 kg1500 kgtrailer with brakes500 kg500 kgtrailer without brakes500 kg500 kg				
Steering columnTilt adjustable & telescopicTilt adjustable & telescopicTilt adjustable & telescopicSteering wheelUrethaneUrethaneLeatherSunglasses holder✓✓✓Fachometer✓✓✓Tripmeterx 2x 2x 2Araity mirror with illuminationDriver and passengerDriver and passengerDriver with illuminationDriver and passengerDriver and passengerDifferenceXXXAraity mirror with illuminationDriver and passengerDriver and passengerDifferenceHeat absorbingHeat absorbingHeat absorbingHeat absorbingHeat absorbingDIMENSIONS				
Steering wheel Urethane Urethane Urethane Leather' Sunglasses holder ✓				Tilt adjustable & telescopic
Sunglasses holderImage: second se	5	· · ·	, ,	/ /
Name ✓ ✓ ✓ Arity mirror with illumination Driver and passenger Driver and passenger Driver and passenger Vindows Heat absorbing Heat absorbing Heat absorbing DIMENSIONS Heat absorbing Heat absorbing Length 4830 mm 4830 mm 4830 mm Vidth 1820 mm 1820 mm 1820 mm Height 1455 mm 1455 mm 1455 mm Ground clearance - laden 125 mm 125 mm 125 mm Veight - tare 1435 kg 1510 kg 1525 kg furning circle 11 m 11 m 11 m viel economy - combined (litres per 100kms) 9.3 10.6 10.6 viel tare 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Vire size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V Vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg	-			1
x 2 x 2 x 2 /anity mirror with illumination Driver and passenger Driver and passenger Driver and passenger Windows Heat absorbing Heat absorbing Heat absorbing DIMENSIONS	8	1	1	1
Araily mirror with illuminationDriver and passengerDriver and passengerDriver and passengerWindowsHeat absorbingHeat absorbingHeat absorbingDIMENSIONSLength4830 mm4830 mm4830 mmWidth1820 mm1820 mm1820 mmfeight1455 mm1455 mm1455 mmGround clearance - laden125 mm125 mm125 mmVeight - tare1435 kg1510 kg1525 kgfurming circle11 m11 m11 mfuel economy - combined (litres per 100kms)9.310.610.6fuel tark capacity65 litres65 litres65 litresMheel size16 x 6.5 JJ16 x 6.5 JJ16 x 6.5 JJfyre size205/60 R16 92V205/60 R16 92V205/60 R16 92Vvlaximum towing capacitytrailer with brakes1500 kg1500 kg1500 kgtrailer without brakes500 kg500 kg500 kg				
Mindows Heat absorbing Heat absorbing Heat absorbing DIMENSIONS				
DIMENSIONS 4830 mm 4830 mm 4830 mm Vidth 1820 mm 1820 mm 1820 mm Vidth 1820 mm 1820 mm 1820 mm Vidth 1820 mm 1820 mm 1820 mm Ground clearance - laden 125 mm 125 mm 125 mm Stround clearance - laden 125 mm 125 mm 125 mm Veight - tare 1435 kg 1510 kg 1525 kg Furning circle 11 m 11 m 11 m fuel economy - combined (litres per 100kms) 9.3 10.6 10.6 fuel tank capacity 65 litres 65 litres 65 litres fuel tank capacity 65 litres 65 litres 65 litres Vheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Vire size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V Vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg <td></td> <td></td> <td></td> <td></td>				
4830 mm 4830 mm 4830 mm Width 1820 mm 1820 mm 1820 mm Height 1455 mm 1455 mm 1455 mm Ground clearance - laden 125 mm 125 mm 125 mm Veight - tare 1435 kg 1510 kg 1525 kg Furning circle 11 m 11 m 11 m Fuel economy - combined (litres per 100kms) 9.3 10.6 10.6 Fuel tank capacity 65 litres 65 litres 65 litres Vheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Vire size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V Vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg	DIMENSIONS			
Nich 1820 mm 1820 mm Height 1455 mm 1455 mm 1455 mm Ground clearance - laden 125 mm 125 mm 125 mm Veight - tare 1435 kg 1510 kg 1525 kg Furning circle 11 m 11 m 11 m Fuel economy - combined (litres per 100kms) 9.3 10.6 10.6 Fuel tank capacity 65 litres 65 litres 65 litres Vheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Vire size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V Vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg		4830 mm	4830 mm	4830 mm
Height 1455 mm 1455 mm 1455 mm Ground clearance - laden 125 mm 125 mm 125 mm Weight - tare 1435 kg 1510 kg 1525 kg furning circle 11 m 11 m 11 m fuel economy - combined (litres per 100kms) 9.3 10.6 10.6 fuel tank capacity 65 litres 65 litres 65 litres Vheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Vire size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg	5			
Around clearance - laden 125 mm 125 mm Weight - tare 1435 kg 1510 kg 1525 kg furning circle 11 m 11 m 11 m fuel economy - combined (litres per 100kms) 9.3 10.6 10.6 fuel ank capacity 65 litres 65 litres 65 litres Vheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ fyre size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg				
Weight - tare 1435 kg 1510 kg 1525 kg furning circle 11 m 11 m 11 m fuel economy - combined (litres per 100kms) 9.3 10.6 10.6 fuel ank capacity 65 litres 65 litres 65 litres Vheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ fyre size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V vlaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg		125 mm	125 mm	125 mm
Turning circle 11 m 11 m 11 m fuel economy - combined (litres per 100kms) 9.3 10.6 10.6 fuel acconomy - combined (litres per 100kms) 9.3 10.6 10.6 fuel tank capacity 65 litres 65 litres 65 litres Wheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ fyre size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg				
Fuel accommy - combined (litres per 100kms) 9.3 10.6 10.6 Fuel tank capacity 65 litres 65 litres 65 litres Mheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Tyre size 205/60 R 16 92V 205/60 R 16 92V 205/60 R 16 92V Vaximum towing capacity - - - - • trailer with brakes 1500 kg 1500 kg 1500 kg • trailer without brakes 500 kg 500 kg 500 kg	-	0	0	· · · · · ·
Euel tank capacity 65 litres 65 litres 65 litres Wheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Tyre size 205/60 R 16 92V 205/60 R 16 92V 205/60 R 16 92V 205/60 R 16 92V Vaximum towing capacity - - - - - trailer with brakes 1500 kg 1500 kg 1500 kg 500 kg	-			
Mheel size 16 x 6.5 JJ 16 x 6.5 JJ 16 x 6.5 JJ Tyre size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V Vaximum towing capacity - - - - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg				
Type size 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V 205/60 R16 92V Maximum towing capacity - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg	1.2			
Maximum towing capacity - trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg				
trailer with brakes 1500 kg 1500 kg 1500 kg trailer without brakes 500 kg 500 kg 500 kg	,	200,00 110 021	200,001110024	200,001110.024
trailer without brakes 500 kg 500 kg 500 kg		1500 kg	1500 kg	1500 kg
			-	
navinan towaa downwaa load 70 kg 70 kg 70 kg		0	•	•
Seating capacity 5 5 5				

✓ Standard equipment ■ Optional – Not available † Leather interior includes some PVC vinyl material.

ACCORD SPECIFICATIONS Cont.

	VTi	V6	V6 Luxury
SAFETY FEATURES			
Airbag iSRS - front	Driver & passenger	Driver & passenger	Driver & passenger
Airbag SRS - side	Driver & front passenger	Driver & front passenger	Driver & front passenge
Airbag SRS - curtain	-	-	✓
Anti-lock Brakes (ABS)	√	\checkmark	\checkmark
Child proof door locks	√	✓	✓
Child safety seat anchor points	х 3	х 3	х 3
Convex door mirror	Passenger side	Passenger side	Passenger side
Electronic Traction Control System (TCS)	-	1	√
Fire retardant interior	√	✓	✓
Front windscreen	Laminated	Laminated	Laminated
Fuel tank roll over valve	√	\checkmark	√
Hazard warning lights	√	✓	✓
High mounted stop light	√	1	√
Honda G-CON technology	√	✓	✓
Immobiliser system	√	✓	✓
Progressive crumple zones	Front & rear	Front & rear	Front & rear
Rear view mirror	Day/night type	Day/night type	Day/night type
Screw type fuel cap	√	✓	√
Seatbelt pretensioners	Front seating positions	Front seating positions	Front seating positions
Seatbelt reminder light	Driver	Driver	Driver
Seatbelts - 3 point ELR	All seating positions	All seating positions	All seating positions
Security alarm system	√	✓	✓
Side impact protection	√	√	✓
Steering column	Energy absorbing type	Energy absorbing type	Energy absorbing type
Transmission shiftlock	\checkmark	\checkmark	\checkmark
AUDIO			
6 stack in-dash CD with AM/FM tuner	√	✓	✓
Steering wheel mounted audio controls	-	√	\checkmark
Front speakers	x 2	x 2	x 2
Front tweeters	x 2	x 2	x 2
Rear speakers	x 2	x 2	x 2
Antenna	In glass type	In glass type	In glass type
COLOURS			
Taffeta White	lvory	lvory	lvory
Satellite Mist Metallic	lvory	lvory	lvory
Royal Ruby Red Pearl	lvory	lvory	lvory
Eternal Blue Pearl	Grey	Grey	Grey
Nighthawk Black Pearl	lvory	lvory	lvory
Silverstone Metallic	Grey	Grey	Grey

0



✓ Standard equipment ■ Optional – Not available † Leather interior includes some PVC vinyl material.



Honda Australia Pty. Ltd. A.C.N. 004 759 611. 95 Sharps Road, Tullamarine, Victoria, 3043. Melbourne (03) 9285 5555. Brisbane (07) 3260 4888. Sydney (02) 8748 3333. Perth (08) 9450 8207. honda.com.au