

Indus Motor Company Limited

Plot No. N.W.Z./1/P-1,

Port Qasim Authority, Karachi, Pakistan.

Phone: +92-21-34721100

UAN: +92-21-111-86-96-82 (+92-21-111-TOYOTA)

Customer Assistance Centre

Toll Free: 0800-11123

Email: customer.relations@toyota-indus.com













A4 Horizontal Size: W: 297mm x H: 210mm





HIACE DELUXE — a commercial vehicle for use by true professionals — is now further evolved and ready to hit the road. Its unwavering quality to date remains unchanged, while its styling has been updated. In addition, HIACE DELUXE guarantees the practicality and comfort levels of the minivan class. Meeting the demands of a new era, enabling transportation in comfort and security.

New HIACE DELUXE Promising fresh prospects for your business.







■ Superior Entry and Exit

The width of the sliding door opening has been increased and a large door step with lamp installed, making entry and exit even easier for occupants.



■ Comfortable and Quiet Cabin

With the semi-bonneted front-end design, the engine, which until now has been located beneath the front seats, is shifted forward. This helps create a cabin space with enhanced quietness and comfort.



■ Air Conditioning

A high-performance manual air conditioner is installed, which enables control of the air conditioning for rear seat passengers from the AC controller on the instrument panel. Roof-mounted air vents are provided, helping create a comfortable space for all occupants.



Supporting Business with Comfort

Occupants are, of course, treated to comfort while on the move. But attention is also paid to hospitality on entering and leaving the vehicle. HIACE values comfort and convenience at all times during business commuting.

Handling of Every Task

In designing the cockpit, we focused on an excellent field of view at the front as well as plentiful storage space. The cockpit is easy to use and gives the driver a feeling of confidence for sure and comfortable operations across a whole range of work scenarios.





I Storage Spaces

- Door pockets with space for A4 size files.
- 2 Convenient console tray with removable partition.
- 3 Overhead tray for neat storage of items for immediate access. (Long body only)
- 4 Overhead console for storage of small items.



■ Wide Front Door Step

Front seat access is made easier by installing a wide front door step.



■ Excellent Driving Visibility

The anterior of the front side window has been lowered and a large quarter glass installed to help ensure excellent forward visibility. An auxiliary mirror has been added, enabling checking in the downward field of view.


Comfort Born of a Powerful and Stable Ride

The suspension and other parts of the undercarriage have been renewed, and the engine relocated in a semi-bonneted configuration. This helps provide a powerful, stable and quiet ride, for sustained comfort even on long commutes.



Safety Technology Supporting World-Class Quality

Equipped with various technologies—from active safety, which dramatically enhances peace-of-mind, to passive safety that minimizes damage in the event of a collision. These technologies engender safety and security for both the driver and passengers.



I Engine

The 1GD-FTV engine features a turbocharger with intercooler, which helps produce powerful dynamic performance while enhancing fuel economy and quietness.



■ Suspension / Brakes

A MacPherson strut suspension is installed for the front and a leaf spring suspension for the rear, helping assure ample suspension stroke. The suspension helps achieve excellent straight-line stability as well as a quiet and comfortable ride. The installation of disc brakes for the front and rear yields excellent braking force.







6.4m


■ Transmission

The 6 Speed Automatic Transmission simultaneously achieves a top-class level of fuel economy and excellent dynamic performance. An automatic transmission enhances durability, accelration performance, while reducing cabin noise'.




Airbags

Airbags are provided for the driver and front passengers.



I Collision Safety Body

A semi-bonneted configuration is used for the front, to efficiently absorb impact energy in the event of a collision. This contributes to excellent crash safety.



■ Anti-Lock Brake System with Electronic Brake-Force Distribution

In addition to ABS, which helps prevent wheel lock-up during braking, the installation of EBD helps ensure optimal distribution of braking force to the left and right wheels.



■ Electro Chromic Rearview Mirror

In Electro Chromic Mirror mode, the mirror detects the amount of reflected light to enhance visibility.

The back monitor is displayed within the inner mirror.

■ Exterior



Spacious Rear Door



LED High Mount Stop Lamp for easy recognition



License Plate with LED Lamps for better visibility



Exterior Vertical Door Handle for better controllability



5-LED Vertical Head Lamps & Fog Lamps add to the iconic design



Rearmost row foldable seats for greater storage space



16-inch High Quality Steel Wheels for stronger grip & reliability



Large sized Rear Combination Lamps with a bold Aerodynamic design for style & enhanced driving stability

I Interior



■ Rear Seats

- A combination of synthetic leather & fabric, highlighting the excellent detailing & workmanship
- Rear lamps and USB ports are fitted within easy reach of all back seats
- Rear armrests & assist grips are provided for passenger convenience

■ Exterior Colours









Hiace Deluxe Hi-Roof Tourer

058 White 4R4 Beige ME 1E&Silver M.M 8Q6LT Blue ME

Hiace Deluxe Hi-Roof Commuter


1E&Silver M.M 4R4 Beige ME

Hiace Deluxe Standard Roof Commuter


058 White

1E&Silver M.M


■ Seating Arrangement







Hiace Deluxe Hi-Roof Commuter




Hiace Deluxe Standard Roof Commuter

Seat Cover Material






■ Body Styles & Dimensions



unit : mm



unit : mm

HIACE DELUXE - Technical Specifications

Engine		Diesel Models			
Body Type Katashiki		Standard Roof GDH301R-GDFDY	Hi-Roof - Commuter GDH322R-EDFDY	Hi-Roof - Tourer GDH322R-EDTNY	
MAJOR DIMENSIONS & VEHICLE W	EIGHTS				
Overall	Length (mm)	5265	5915	5915	
	Width (mm)	1950	1950	1950	
	Height (mm)	1990	2280	2280	
Wheelbase (mm)		3210	3860	3860	
Tread	Front (mm)	1675	1675	1675	
	Rear (mm)	1670	1670	1670	
Overhang	Front (mm)	950	950	950	
	Rear (mm)	1105	1105	1105	
Min. Running Ground Clearance (mm)		175	185	185	
Gross Vehicle Weight	Total (Kg)	3500	3820	3810	
Curb Weight	Total Min (kg)	2165	2475	2625	
	Total Max (kg)	2380	2620	2640	
Fuel Tank Capacity	(L)	70	70	70	
Seating Capacity	(persons)	15	17	14	

ENGINE				
Engine Model Code		1GD-FTV	1GD-FTV	1GD-FTV
No. of Cyls		4 cylinders	4 cylinders	4 cylinders
Cylinder Arrangement		In-line type	In-line type	In-line type
Displacement	(cc)	2755	2755	2755
Compression Ratio		15.6	15.6	15.6
Fuel System		Common rail type, direct injection	Common rail type, direct injection	Common rail type, direct injection
Valve Mechanism		16 Valve DOHC, Roller Rocker &	16 Valve DOHC, Roller Rocker &	16 Valve DOHC, Roller Rocker &
		Lash Adjuster	ash Adjuster	Lash Adjuster
Max. Output	(kW/RPM)	130/3400	115/3600	115/3600
Max. Torque	(N·m/Rpm)	420/1400-2600	420/1600-2200	420/1600-2200
Transmission		MT	MT	AT
Economy Meter		X	Х	With (Eco-Drive Indicator)
Turning Radius	Tire	5.5	6.4	6.4
Emission Standard		EURO II	EURO II	EURO II

CHASIS				
Brake Type	Front	Ventilated disc brake with floating	Ventilated disc brake with floating	Ventilated disc brake with floating
		caliper 2-cylinder	caliper 2-cylinder	caliper 2-cylinder
	Rear	Leading-trailing drum brake, Ventilated disc brake with	Ventilated disc brake with floating caliper 1-cylinder	Ventilated disc brake with floating caliper 1-cylinder
		floating caliper 1-cylinder		
Suspension Type	Front	MacPherson Strut	MacPherson Strut	MacPherson Strut
	Rear	Leaf spring rigid axle	Leaf spring rigid axle	Leaf spring rigid axle
Power Steering Type		Integral	Integral	Integral

SAFETY				
Air Bag System	Front	Driver + Passenger-Center	Driver + Passenger-Center	D+P
ABS		0	0	0
Seat Belt	Front	2x(3-Point Type ELR with Pretentioner+ Force Limiter),	2x(3-Point Type ELR with Pretentioner+ Force Limiter),	2x(3-Point Type ELR with Pretentioner+ Force Limiter)
		1x(2-Point Type)	1x(2-Point Type)	
	Rear	12x (2-Point Type)	14x (2-Point Type)	12x (3-Point Type)
Light Remind Warning		0	0	0
Key Remind Warning		With Buzzer	With Buzzer	With (Buzzer + Unlock Mechanical)
Emergency Stop Signal		0	0	0
Door Ajar Warning		0	0	0
Anti-Theft System		Immobilizer & Security Horn	Immobilizer & Security Horn	Immobilizer & Security Horn

Engine			Diesel Models	
Body Type		Standard Roof	Hi-Roof - Commuter	Hi-Roof - Tourer
Katashiki		GDH301R-GDFDY	GDH322R-EDFDY	GDH322R-EDTNY
EXTERIOR				
Tire & Disc Wheel		215/R16C	235/R16C	235/R16C
Wheel Cap		0	0	0
Outside Rear View Mirror	Retractable	Manual	Manual	Electric
	Color	Black (Mould)	Black (Mould)	Color
	Supplemental Mirror	X	0	0
Rear Under Mirror		0	0	X
High Mount Stop Lamp		LED	LED	LED
Clearance Lamp		Bulb	Bulb	Led
Headlamp		Halogen	Halogen	Halogen
Front Fog & Driving Lamp		X	X	0
Side Turn Signal Lamp	100	With (Fender)	With (Fender)	With (Mirror)
Window Wiper	Windshield	Intermittent + Mist	Intermittent + Mist	Intermittent (time adjustment) + Mist
A-4	Rear	X Chart Data	X Chart Pala	O Chart Data
Antenna	Front	Short Pole	Short Pole	Short Pole
Bumper	Front Rear	Black (Mould)	Black (Mould) Black (Material Color)	Color Color
Front Grille	Rear	Black (Material Color)	Painting (Parts Color)	Color Chome PLATING
Hood Moulding	+ +	Painting (Parts Color)	With (Painting)	With (Plating)
Lower Back and Back Door Garnish	+	With (Painting) With (Material Color)	With (Painting) With (Material Color)	With (Plating) With (Plating)
Door Handle	+	Black (Mould)	Black (Mould)	Color
Back Monitor				With (W/Fixed Line) (Inner Mirror)
Hood Silencer	+ +	X X	X X	O (Initial Military)
Smart Door Lock	+ +	X	X	With (Wireless)
		^	Λ	With (Wheless)
INTERIOR	100	40 1 11 11	40 1 11 11	40 1 11 11
Steering	Wheel	4 Spoke Urethane	4 Spoke Urethane	4 Spoke Urethane
A di -	Column	Manual Tilt & Telescopic	Manual Tilt & Telescopic	Manual Tilt & Telescopic
Audio		X	X	X
Multi Information Display	+	0	0	0
Speaker	+	2 Front Down (2) Contro Cont hook (2)	2 Front Days (0) Control Cont hards (0)	6 Front Row (2), Rear Console (2)
Cupholder	+	Front Row (2), Center Seat back (2) FR2+RR2(BLB)	Front Row (2), Center Seat back (2) FR2+RR2(BLB)	FR2+RR3(LED)
Room Lamp Personal Lamp (Reading Light)	Rear	` /	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Door Courtesy Lamp	Real	X Reflector (FR+Slide Door)	X Reflector (FR+Slide Door)	Reflector (FR+Slide Door)
Step Lamp	+	Bulb	Bulb	Led
Seat	Material	Fabric	Fabric	Fabric + VNL Leather
Jeal	Reclining (Front)	D + P	D + P	D+P
	Slide (Front)	D:240mm P:Fixed	D:240mm P:Fixed	D:240mm P:180 mm (ECE 107)
	Back Pocket	X X	X X	With Cupholder
	Vertical Adjustor	Driver only	Driver only	Driver only
A/C	Front	0	O Driver only	O Driver only
740	Rear	With (RR Cooler), 2 Tier Register	With (RR Cooler), Independent Register	With (RR Cooler), Independent Register
Heater	Front	0	0	0
	Rear	0	0	0
Spare Tire	1.555	Ground Tire (Steel Wheel)	Ground Tire (Steel Wheel)	Ground Tire (Steel Wheel)
Luggage & Back Door		Lift Type	Lift Type	Lift Type
Power Door Lock		0	0	0
Power Window		Auto Up/Down (D + P)	Auto Up/Down (D + P)	Auto Up/Down (D + P)
Passenger Side Door	Rear	Manual Slide	Manual Slide	Auto Slide
Light Control System		Х	X	0
Assist Grip		A-PLR2(FIX),FR2(RTRCTBLE)	B+B/C-PLR-P ONLY(FIX)	B+B-PLR-P ONLY(FIX)
Head Rest	Front	D & P	D&P	D&P
	Rear	X	X	0
Rear Window Defogger		With Timer	With Timer	With Timer
Console Box	Rear	Center Seat Back	Center Seat Back	Large, Fabric, With Lamp
	Overhead	X	Overhead Tray	Overhead Tray
Clock		With Meter	With Meter	With Meter
Sun Visor		D+P	D+P	D+P
Accessory Connector		12V X 1(FOR D SEAT)	12V X 1(FOR D SEAT)	12V X 2, USB2 X 3(L2 COM FOR RR)
Illuminated Entry		With (IG Key + Room Lamp)	With (IG Key + Room Lamp)	With (IG Key + Room Lamp)
Floor Carpet	Rear	Mat + Board	Mat + Board	Flat Mat + Board
Assist Grip		A-Pillar 2(Fix), FR (Retractable)	A-Pillar 2, FR 2 (Fix), C-Pillar P-side only (Fix)	A-Pillar 2, FR 2 (Retractable), B-Pillar P-side only (Fix)
Shoulder Grip		Х	X	0
Seat Under Tray	Front	0	0	X
Rear Arm Rest		X	X	0
Glove Box		With Lock	With Lock	With Lock
Inside Rear View Mirror		Day/Night (Mechanical Type)	Day/Night (Mechanical Type)	Day/Night (Electrochromic with Back Monitor)
Door Inside Handle		Material Color	Material Color	Material Color (Plating)

Indus Motor Company reserves the right to alter any details of specifications and equipment without notice. Vehicles shown and specifications mentioned herein may vary from models and equipment available.

X = Not Available, O = Available